

EDGE

DESIGNED BY 

SOFTWARE MANUAL

EDGE 201

MECHANICAL GAMING KEYBOARD



TOPICS

Software Functions	3
1. MAIN Settings	4
2. MACRO Settings	11
3. LIGHT Settings	14
4. TEST Functions	18



Software Functions

Among other features, set macros, save user profiles, and customize LED lighting of your EDGE 201 Mechanical Gaming Keyboard with EDGE software by HORI.




	Name	Function
①	MAIN	Key settings, Polling Rate settings
②	MACRO	Macro settings
③	LIGHT	LED lighting settings
④	TEST	Keyboard testing software
⑤	EXPORT	Export saved profile settings
⑥	IMPORT	Import saved profile settings
⑦	DEFAULT	Return settings to default
⑧	SAVE	Save settings
⑨	CANCEL	Cancel changes
⑩	PROFILE 1	Select from Profile 1 to Profile 5
⑪	LANGUAGE	Select language
⑫	SOFTWARE UPDATE	Link to software update page

1.MAIN Settings



	Name	Functions
①	Polling Rate	Adjust the polling rate from 4 levels. (125Hz, 250Hz, 500Hz, 1000Hz)
②	Game Link Menu	Set specific game/application software to automatically load linked profiles when launching software. (See details on pg. 9)
③	Gaming Mode On / Off	Toggle gaming mode On or Off. (See details on pg. 10)
④	Selected key	The selected key displays here.
⑤	Assignable functions	A list of assignable functions displays in the key Edit Menu. (See details on pg. 5)
⑥	Save / Cancel	Click Save or Cancel to save or cancel key settings.

Assignable Button Functions




	Function Name	Function
①	Default	Keep or restore default key settings.
②	Keyboard Function	Set a key from the keyboard.
③	Macro Function	Set macros or playback methods.
④	Media Functions	Functions relating to media players for video or audio.
⑤	Shortcuts of Windows	Set button as this Windows function.
⑥	Disable	Disable key function.

① Default

- Restore default key settings.

② Keyboard Function


- Keyboard functions can be assigned to the selected key.
- Click inside the Rebind Destination Key box to set the desired key by inputting it on the keyboard.



- All keys except ESC, Window, and Function can be assigned.


③ Macro Function

- Record macros using this tool.



④Multimedia


It is possible to set media player functions to selected key buttons.



Name	Function
Play/Pause	Play or Pause media playback
Next Track	Skip to next track
Previous Track	Skip to previous track
Volume Up	Increase volume
Volume Down	Decrease volume
Mute	Mute audio

⑤ Shortcuts for Windows

It is possible to assign Windows shortcut functions to selected keys.



Shortcut for Windows Name	Function
Task Manager	Start Task Manager
Show Desktop	Minimize windows and show desktop
Switch Applications	Switch between running applications
Close applications	Close currently running application
Cut	Cut function
Copy	Copy function
Paste	Paste function

⑥ Disable

- Key is disabled and does not output anything when pressed.

Game Link Function

Automatically load selected profiles when launching games or application by using the Game Link function to link saved profiles to specified applications.



	Button/Feature	Function
①	Game Link Button	<ul style="list-style-type: none"> Search for and set the software's ".exe" file to link the software to the selected profile. After clicking a window will pop up for ".exe" file selection.
②	Linked Software	The name of the linked ".exe" file will be displayed.
③	Cancel Button	Unlink the ".exe" file from the software with this button.


Gaming Mode Setting




Font is "Blue" when ON.

	Button/Feature	Function
①	Gaming Mode ON/OFF	Toggle gaming mode ON or OFF. Font color: Black = OFF Blue = ON
②	Disabled Keys Setting	Click on this button to set disabled keys.

- Below functions can be disabled.



2.MACRO Settings




	Name	Function
①	Macro selection	Displays a list of all saved macros to confirm or edit.
②	New	Create a new macro.
③	Delete	Delete saved macros.
④	Recorded Interval	Save a macro at the actual input speed recorded. (See details on pg. 12)
⑤	Fixed Interval	Save a macro with a set time interval between each input. (See details on pg. 12)
⑥	Record/Stop	Record or stop recording a macro.
⑦	Delete	Delete the selected input.(See details on pg. 13)
⑧	Down	Move selected input down.(See details on pg. 13)
⑨	Up	Move selected input up.(See details on pg. 13)
⑩	Insert	Insert a new command into the selection. (See details on pg. 13)

Recording Macros

When recording macros you can choose between two types of time intervals.


① Recorded Interval

- “Recorded interval” records the timing of the macro exactly as entered by the user, including the length of time the key is held down and the length of time between key presses.



② Fixed Interval

- “Fixed Interval” records the macro with a set user-defined time interval for each keys and the time between presses.




※Register up to 64 key-presses per macro.

Deleting commands

- The selected command's "push" icon, "release" icon, and time intervals should be deleted together.
- By deleting the time interval between button inputs, time interval will become 0 (zero) seconds which is the equivalent of pressing the buttons simultaneously in the macro.


Moving Commands

- Click ▲ or ▼ when the command is highlighted it to move it up or down.
- ※ "Release" icon cannot come before "Push", etc.



Changing time interval

- It is possible to edit the length of macro time intervals by following the steps below.




3.LIGHT Settings



	Lighting Tools	Function
①	Brightness Level	Drag the white dot along the blue ring to set the brightness from 1 (low) to 10 (high).
②	Breathing Speed	Drag the white dot along the blue ring to set the breathing speed from 1 (low) to 10 (high).
③	Light Settings	Adjust light settings. (See details on pg. 15)
④	All On / Off	Toggle LED lighting on all keys On or Off.
⑤	Individual Key Light Settings	Select individual keys to toggle LED lighting On or Off.

① Brightness Level

- Click and drag the white dot to adjust brightness level from 1-10.
- ※ Brightness cannot be adjusted when Light Setting is set to “Breathing” or “Reactive”.



Drag the white dot along the blue ring.

② Breathing Speed


- Click and drag the white dot to adjust breathing speed from 1-10.
- Breathing speed can only be adjusted when Light Setting is set to “Breathing”.



Drag the white dot along the blue ring.

③Light Settings

- Select from a list of light setting options below.



Name	Function
Always On	LED lights are always On. (Default setting)
Breathing	LED lights repeatedly pulsates ON and Off. Breathing speed can be adjusted. (See details on pg. 15)
Reactive	LED lights up when keys are pressed. Light up time intervals can be adjusted from 1-60 seconds.
Linear Reactive	LED lights up the keys along the same row as the one pressed.
Ripple Reactive	LED radiates outward from the key that is pressed.

④ All On / Off

- LED lighting on all keys can be set On or Off.
- This option can only be selected when Light Setting is set to “Always On”.

⑤ Individual Key Light Settings

- Lighting of the keys from the image below can be set individually to turn On or Off.
- Keys in “Blue” = Light On Keys in “Black” = Light Off
- ※ Space bar and Function key will not light up.



4.TEST Functions

- Allows you to confirm that key inputs are recognized.
- Keys that have been pressed and recognized will turn “blue” .
- You can also confirm keys which are simultaneously pressed.
- This test can be performed with any other keyboard aside from the EDGE 201.

